

Review Week 1

Jan 7, 2025

From chapter 0...

Sets are like this : $\{a, b\}$

↑ curly bracket

↑ does not imply an order

If there is an (implied) "universe" U ,
or ground set from which the set is
drawn, then set complementation is defined

$$\overline{S} = U \setminus S$$

↑ "set-minus"

↑ all elements not in S

" S complement"

We also have $\cap$, $\cup$

Sequences and tuples - order is implied

- use ()

↑ "open paren"

↑ "close paren"

(Note : graph theory, undirected graphs, abuse
this notation somewhat, using (u, v) for an

undirected edge.)

Review: - Functions + relations
- Graphs.

STRINGS & LANGUAGES

An alphabet is a finite, non-empty set.

Its members are called symbols (or letters).

Σ "capital sigma" } often used to
 Γ "capital gamma" } denote alphabets.

A string over an alphabet Σ is a finite **sequence** of symbols from Σ , duplicates allowed.

ϵ ("epsilon") is the symbol for the empty string

$$ab \cdot bb = abbb$$

$$S_1 \cdot S_2 = S_1 S_2$$

Juxtaposing two strings is an operation called "concatenation", yielding a new string. Also use $\cdot$

Recursive Definitions.

Alternative definition of strings over $\{a, b\}$.

- Defⁿ :
1. ϵ is a string over $\{a, b\}$
 2. if s is a string over $\{a, b\}$,
so is $s \cdot a$
 3. if s is a string over $\{a, b\}$,
so is $s \cdot b$
 4. Nothing else is a string over $\{a, b\}$

The above is a recursive definition of strings (over the given alphabet).

Once we have a recursive definition of an object, we can easily define functions of that object.

Defⁿ length of a string over $\{a, b\}$,
denoted with abs-value $|s|$

1. $|\epsilon| = 0$

2. $|s \cdot a| = |s| + 1$, where s is a string over $\{a, b\}$

3. $|s \cdot b| = |s| + 1$ " " "

Length is now defined for all strings over $\{a, b\}$, since (4) "Nothing else is a string over $\{a, b\}$ "

Defⁿ string over Σ .

1. ϵ is a string over Σ
2. if s is a string over Σ and $\sigma \in \Sigma$
then $s \cdot \underline{\sigma}$ is a string over Σ
3. Nothing else is a string over Σ .

For you to do:

1. Give a definition of string length for strings over Σ .
2. We want $\#_a(s)$ defined on strings over $\{a, b\}$ to be the number of a 's in s .
Make it so, using the recursive definition.
3. Do same for $\#_b(s)$ for strings over Σ , $\sigma \in \Sigma$.
4. Prove using induction and the defⁿ of string length $|w|$ that
 $|w_1 \cdot w_2| = |w_1| + |w_2| \quad \forall w_1, w_2 \text{ over } \Sigma$

